



**Prof. Dr. Werner Kauer**

Medical office for surgery, endoscopy  
and proctology  
Ledererstr. 4  
(Entrance Böhmlerpassage)  
80331 München

Tel: 089 225350  
Fax: 089 2285377

[info@prof-kauer.de](mailto:info@prof-kauer.de)  
[www.prof-kauer.de](http://www.prof-kauer.de)



**Opening Hours:**

**Mon** 8:00 – 12:00 and 14:00 – 17:00  
**Tues** 8:00 – 12:00 and 14:00 – 19:00  
**Wed** 7:15 – 13:00  
**Thurs** 8:00 – 12:00 and 14:00 – 17:00  
**Fri** 7:15 – 13:00  
Open on Saturday by appointment

We take all health insurances



**Frau Bernkopf**  
Secretary

The medical office is located a few minutes away from the Marienplatz, one of the main attractions in Munich. The Marienplatz can be reached by:

- S Bahn: S 1 – 8
- U Bahn: U 3 and U 6
- Bus: Route 52 und 132

**By Car:**

The office is easily reached by car, and there are many public parking garages around:

**Hofbräuhaus**, Hochbrückenstr. 9, 80331 Munich  
**Rindermarkt**, Rindermarkt 16, 80331 Munich

**From the train station:**

You may reach the Marienplatz from the main train station with the S Bahn route.

**By Airplane:**

You may take the S Bahn route S1 or S8 to the Marienplatz.  
It is also possible to ale a taxi straight to the office for 65 €. The ride takes an estimate of 35 minutes.



surgery



endoscopy



proctology

PROF. DR. WERNER KAUER



Your Happiness Is Our Motivation



## WELCOME

Dear Patient,

This brochure provides information concerning our office and all the services we offer in the areas of surgery, endoscopy and coloproctology.

You are the center of attention in our facility, and we will devote our time to you. I am board certified in surgery and specialize in endoscopy (gastroscopy and colonoscopy) and coloproctology (diseases of the intestine and recto-sigmoid).

Our philosophy is to create for you a calm and relaxed atmosphere; our experienced, competent and friendly staff will help you feel confident and secure. Your experience from a complete diagnostic examination to treatment will be performed under the guidance of a single specialist, who is thoroughly familiar with the most up to date information, equipment, and procedures.

We have office hours in the early morning, in the evening, and on Saturdays, which should be convenient to your daily routine.

Our goal is establish your confidence in us and the proposed treatment plan and to ensure you are completely satisfied with our services.

Prof. Dr. Werner Kauer



## DIAGNOSTIC

- ▶ Proctoscopy
- ▶ Rectoscopy
- ▶ Colonoscopy
- ▶ Gastroscopy
- ▶ Ultrasound
- ▶ Rectal endo-ultrasound
- ▶ Anal-manometric measurement
- ▶ Intestine cancer prevention and aftercare
- ▶ Official advisor of the German Continence Society

We can perform scheduled gastroscopies and colonoscopies under sedation, which will be provided solely by board-certified anaesthesiologists to insure your safety and wellbeing. If, after our conversation, you prefer to undergo the procedure without sedation, and it can be done successfully from our medical point of view, we will certainly comply with your decision.

### Gentle Colonoscopy

Sedation and CO<sub>2</sub> (carbon dioxide) colonoscopy are the two important factors for a gentle colonoscopy. The CO<sub>2</sub> colonoscopy uses carbon dioxide instead of air to insufflate the colon. Since CO<sub>2</sub> leaves the colon 150 times faster than air, abdominal distension or abdominal pain are no longer present after the colonoscopy and the patient experiences the examination more comfortable.



## TREATMENT

### Conservative Treatment

- ▶ Pelvic floor treatment
- ▶ Biofeedback training with and without electrical stimulation
- ▶ Tibial nerve stimulation for fecal incontinence
- ▶ Medical / symptomatic treatment

### Endoscopic Treatment

- ▶ Bouginage (Dilatation) of stenosis in the upper or lower GI- tract
- ▶ Argon plasma coagulation in angiodysplasia
- ▶ Clipping or injection therapy for bleeding
- ▶ Polypectomy
- ▶ Removal of foreign bodies
- ▶ PEG (Percutaneous Endoscopic Gastrostomy) placement
- ▶ Combined endoscopic and surgical procedures

### Operative Treatment

- ▶ Excision of abscesses, anal vein thrombosis or in pilonidal disease (open or closed wound treatment, flap surgery, pit picking)
- ▶ Fissurectomy, lateral sphincterotomy
- ▶ Open-lay fistulotomy, fistulectomy, mucosal flap, sphincter preserving treatment (fistula clip, fistula plug)
- ▶ Excision or coagulation of condylomata
- ▶ Hemorrhoid excision (Milligan-Morgan, Ferguson, Parks), Hemorrhoidal lifting (Longo) and Hemorrhoidal artery ligation (HAL-RAR)
- ▶ Excision of skin tags
- ▶ STARR / Trans star procedure for obstructive defecation syndrome
- ▶ Altemeier procedure, perineal stapled resection or laparoscopic resection rectopexy for rectal prolapse
- ▶ Anal sphincter repair in sphincter defects
- ▶ Sacral nerve stimulation for fecal incontinence
- ▶ Sphincter augmentation for fecal incontinence